


B68TK-266M

v2.1



2

2.1

Intel Baytrail

J1800/J1900


15W

2.2


	Intel Celeron J1800/J1900		
	DDR3L-1333MHz 4GB		
	64GB SSD		
	Intel Graphics gen7		
	2	Intel I211-AT	
IO	1	USB3.0	3 USB2.0
	1	HDMI	1 VGA
	2	RJ45	
	1	LINE-OUT	1 MIC-IN
	2		
IO	4		
	2	USB2.0	
	1	mini-PCIe	WIFI/3G/Bluetooth
	1	mSATA	
	Win7/Win8/Win10		
	Linux/ Unix		
	DC2.5	12V/19V/24V	
	3.5		
	109mm×	216mm×	56mm
	-10	~+60	
	-20	~+85	
	95%	25	30

3

3.1





3.2



mm

4.



	1	2	3	4	5	6	7	8
			LED	3	4	5	6	USB2.0
	9	10	11	12	13	14	15	16
	USB2.0	1	MIC	Line-out	USB2.0	LAN2	2	LAN1

	17	18	19	20	
	USB3.0	HDMI	DC-IN	VGA	
<p>1. LED -</p> <p>2. 1 2 3 4 5,6 RS232 2 RS485</p> <p>3. USB3.0 USB3.0</p>					

5.BIOS

B68TK-266M

BIOS

BIOS